

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Variable Name, Item and Code Outline</u>
1	1	<p><u>MATCHS</u> <u>Match Status</u></p> <p>1 ... Matched Birth/Infant Death Record 2 ... Surviving infant record 3 ... Unmatched infant death record Note: This code is used in the unlinked file only.</p>
2- 6	5	<p><u>IDNUMBER</u> <u>Infant Death Number</u></p> <p>This number uniquely identifies the same infant in the numerator and denominator-plus files.</p>
<p>Locations 7-210 of the linked file contain data from the Birth Certificate. Locations 211-222, 261-535 of linked file contain data from the Death Certificate.</p>		
<p>Residence items in the Denominator Record and in the natality section of the Numerator (linked) Record refer to the usual place of residence of the <u>Mother</u>; whereas in the mortality section of the Numerator (Linked) Record, these items refer to the residence of the <u>Decedent</u>.</p>		
7-10	4	<p><u>BIRYR</u> <u>Year of Birth</u></p> <p>2000 ... Born in 2000</p>
11	1	<p><u>RESSTATB</u> <u>Resident Status - Birth</u></p> <p><u>United States Occurrence</u></p> <p>1 ... RESIDENTS: State and county of occurrence and residence are the same. 2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different. 3 ... INTERSTATE NONRESIDENTS: State of occurrence and residence are different, but both are in the 50 States and D.C. 4 ... FOREIGN RESIDENTS: State of occurrence is one of the 50 States or the District of Columbia, but place of residence of mother is outside of the 50 States and D.C.</p> <p><u>Puerto Rico Occurrence</u></p> <p>1 ... RESIDENTS: State and county of occurrence and residence are the same. 2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different. 4 ... FOREIGN RESIDENTS: Occurred in Puerto Rico to a resident of any other place.</p>

2000
Denominator Record and Natality Section of Numerator (Linked) Record

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <u>Item and Code Outline</u>
11	1	<p><u>Virgin Islands Occurrence</u></p> <p>1 ... RESIDENTS: State and county of occurrence and residence are the same.</p> <p>2 ... INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different.</p> <p>4 ... FOREIGN RESIDENTS: Occurred in the Virgin Islands to a resident of any other place.</p> <p><u>Guam Occurrence</u></p> <p>1 ... RESIDENTS: Occurred in Guam to a resident of Guam or to a resident of the U.S.</p> <p>4 ... FOREIGN RESIDENTS: Occurred in Guam to a resident of any place other than Guam or the U.S.</p>
12-13	2	<p><u>BRSTATE</u> <u>Expanded State of Residence - NCHS Codes - Birth</u></p> <p>This item is designed to separately identify New York City records from other New York State records.</p> <p><u>United States Occurrence</u></p> <p>01 ... Alabama</p> <p>02 ... Alaska</p> <p>03 ... Arizona</p> <p>04 ... Arkansas</p> <p>05 ... California</p> <p>06 ... Colorado</p> <p>07 ... Connecticut</p> <p>08 ... Delaware</p> <p>09 ... District of Columbia</p> <p>10 ... Florida</p> <p>11 ... Georgia</p> <p>12 ... Hawaii</p> <p>13 ... Idaho</p> <p>14 ... Illinois</p> <p>15 ... Indiana</p> <p>16 ... Iowa</p> <p>17 ... Kansas</p> <p>18 ... Kentucky</p> <p>19 ... Louisiana</p> <p>20 ... Maine</p> <p>21 ... Maryland</p> <p>22 ... Massachusetts</p> <p>23 ... Michigan</p> <p>24 ... Minnesota</p> <p>25 ... Mississippi</p> <p>26 ... Missouri</p>

Denominator Record and Natality Section of Numerator (Linked) Record

Item <u>Location</u> <u>Length</u>	Item	Variable Name, <u>Item and Code Outline</u>
12-13	2	<p><u>BRSTATE</u> <u>Expanded State of Residence - NCHS Codes - Birth (Cond't)</u></p> <p>This item is designed to separately identify New York City records from other New York State records.</p>

United States Occurrence

27	...	Montana
28	...	Nebraska
29	...	Nevada
30	...	New Hampshire
31	...	New Jersey
32	...	New Mexico
33	...	New York
34	...	New York City
35	...	North Carolina
36	...	North Dakota
37	...	Ohio
38	...	Oklahoma
39	...	Oregon
40	...	Pennsylvania
41	...	Rhode Island
42	...	South Carolina
43	...	South Dakota
44	...	Tennessee
45	...	Texas
46	...	Utah
47	...	Vermont
48	...	Virginia
49	...	Washington
50	...	West Virginia
51	...	Wisconsin
52	...	Wyoming
53-58,60	...	Foreign Residents
53	...	Puerto Rico
54	...	Virgin Islands
55	...	Guam
56	...	Canada
57	...	Cuba
58	...	Mexico
60	...	Remainder of the World

Puerto Rico Occurrence

53	...	Puerto Rico
01-52,54-58,60	...	Foreign Residents: Refer to U.S. for specific code structure.

Virgin Islands Occurrence

54	...	Virgin Islands
01-53,55-58,60	...	Foreign Residents: Refer to U.S. for specific code structure.

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>																																																																																				
12-13	2	<p><u>BRSTATE</u> <u>Expanded State of Residence - NCHS Codes - Birth (Cond't)</u></p> <p>This item is designed to separately identify New York City records from other New York State records.</p> <p><u>Guam Occurrence</u></p> <table border="0"> <tr> <td>55</td> <td>...</td> <td>Guam</td> </tr> <tr> <td>01-52</td> <td>...</td> <td>U.S. resident is also considered a resident of Guam.</td> </tr> <tr> <td>53,54,58,60</td> <td>...</td> <td>Foreign Residents: Refer to U.S. for specific code structure.</td> </tr> </table>	55	...	Guam	01-52	...	U.S. resident is also considered a resident of Guam.	53,54,58,60	...	Foreign Residents: Refer to U.S. for specific code structure.																																																																											
55	...	Guam																																																																																				
01-52	...	U.S. resident is also considered a resident of Guam.																																																																																				
53,54,58,60	...	Foreign Residents: Refer to U.S. for specific code structure.																																																																																				
14-18	5	<p><u>FIPSOCCB</u> <u>Federal Information Processing Standards</u> <u>(FIPS) Geographic Codes (Occurrence) - Birth</u></p> <p>Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications.</p>																																																																																				
14-15	2	<p><u>STOCCFIPB</u> <u>State of Occurrence (FIPS) - Birth</u></p> <p><u>United States</u></p> <table border="0"> <tr><td>01</td><td>...</td><td>Alabama</td></tr> <tr><td>02</td><td>...</td><td>Alaska</td></tr> <tr><td>04</td><td>...</td><td>Arizona</td></tr> <tr><td>05</td><td>...</td><td>Arkansas</td></tr> <tr><td>06</td><td>...</td><td>California</td></tr> <tr><td>08</td><td>...</td><td>Colorado</td></tr> <tr><td>09</td><td>...</td><td>Connecticut</td></tr> <tr><td>10</td><td>...</td><td>Delaware</td></tr> <tr><td>11</td><td>...</td><td>District of Columbia</td></tr> <tr><td>12</td><td>...</td><td>Florida</td></tr> <tr><td>13</td><td>...</td><td>Georgia</td></tr> <tr><td>15</td><td>...</td><td>Hawaii</td></tr> <tr><td>16</td><td>...</td><td>Idaho</td></tr> <tr><td>17</td><td>...</td><td>Illinois</td></tr> <tr><td>18</td><td>...</td><td>Indiana</td></tr> <tr><td>19</td><td>...</td><td>Iowa</td></tr> <tr><td>20</td><td>...</td><td>Kansas</td></tr> <tr><td>21</td><td>...</td><td>Kentucky</td></tr> <tr><td>22</td><td>...</td><td>Louisiana</td></tr> <tr><td>23</td><td>...</td><td>Maine</td></tr> <tr><td>24</td><td>...</td><td>Maryland</td></tr> <tr><td>25</td><td>...</td><td>Massachusetts</td></tr> <tr><td>26</td><td>...</td><td>Michigan</td></tr> <tr><td>27</td><td>...</td><td>Minnesota</td></tr> <tr><td>28</td><td>...</td><td>Mississippi</td></tr> <tr><td>29</td><td>...</td><td>Missouri</td></tr> <tr><td>30</td><td>...</td><td>Montana</td></tr> <tr><td>31</td><td>...</td><td>Nebraska</td></tr> </table>	01	...	Alabama	02	...	Alaska	04	...	Arizona	05	...	Arkansas	06	...	California	08	...	Colorado	09	...	Connecticut	10	...	Delaware	11	...	District of Columbia	12	...	Florida	13	...	Georgia	15	...	Hawaii	16	...	Idaho	17	...	Illinois	18	...	Indiana	19	...	Iowa	20	...	Kansas	21	...	Kentucky	22	...	Louisiana	23	...	Maine	24	...	Maryland	25	...	Massachusetts	26	...	Michigan	27	...	Minnesota	28	...	Mississippi	29	...	Missouri	30	...	Montana	31	...	Nebraska
01	...	Alabama																																																																																				
02	...	Alaska																																																																																				
04	...	Arizona																																																																																				
05	...	Arkansas																																																																																				
06	...	California																																																																																				
08	...	Colorado																																																																																				
09	...	Connecticut																																																																																				
10	...	Delaware																																																																																				
11	...	District of Columbia																																																																																				
12	...	Florida																																																																																				
13	...	Georgia																																																																																				
15	...	Hawaii																																																																																				
16	...	Idaho																																																																																				
17	...	Illinois																																																																																				
18	...	Indiana																																																																																				
19	...	Iowa																																																																																				
20	...	Kansas																																																																																				
21	...	Kentucky																																																																																				
22	...	Louisiana																																																																																				
23	...	Maine																																																																																				
24	...	Maryland																																																																																				
25	...	Massachusetts																																																																																				
26	...	Michigan																																																																																				
27	...	Minnesota																																																																																				
28	...	Mississippi																																																																																				
29	...	Missouri																																																																																				
30	...	Montana																																																																																				
31	...	Nebraska																																																																																				

Denominator Record and Natality Section of Numerator (Linked) Record

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <u>Item and Code Outline</u>
14-15	2	<p><u>STOCCFIPB</u> <u>State of Occurrence (FIPS) - Birth (Cond't)</u></p> <p><u>United States</u></p> <p>33 ... New Hampshire 34 ... New Jersey 35 ... New Mexico 36 ... New York 37 ... North Carolina 38 ... North Dakota 39 ... Ohio 40 ... Oklahoma 41 ... Oregon 42 ... Pennsylvania 44 ... Rhode Island 45 ... South Carolina 46 ... South Dakota 47 ... Tennessee 48 ... Texas 49 ... Utah 50 ... Vermont 51 ... Virginia 53 ... Washington 54 ... West Virginia 55 ... Wisconsin 56 ... Wyoming</p> <p><u>Puerto Rico</u></p> <p>72 ... Puerto Rico</p> <p><u>Virgin Islands</u></p> <p>78 ... Virgin Islands</p> <p><u>Guam</u></p> <p>66 ... Guam</p>
16-18	3	<p><u>CNTOCFIPB</u> <u>County of Occurrence (FIPS) - Birth</u></p> <p>001-nnn ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.)</p> <p>999 ... County with less than 250,000 population</p>

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>
19-23	5	<u>FIPSRESB</u> <u>Federal Information Processing Standards (FIPS) Geographic Codes (Residence) - Birth</u>

Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications.

19-20	2	<u>STRESFIPB</u> <u>State of Residence (FIPS) - Birth</u>
-------	---	--

United States Occurrence

00	...	Foreign residents
01	...	Alabama
02	...	Alaska
04	...	Arizona
05	...	Arkansas
06	...	California
08	...	Colorado
09	...	Connecticut
10	...	Delaware
11	...	District of Columbia
12	...	Florida
13	...	Georgia
15	...	Hawaii
16	...	Idaho
17	...	Illinois
18	...	Indiana
19	...	Iowa
20	...	Kansas
21	...	Kentucky
22	...	Louisiana
23	...	Maine
24	...	Maryland
25	...	Massachusetts
26	...	Michigan
27	...	Minnesota
28	...	Mississippi
29	...	Missouri
30	...	Montana
31	...	Nebraska
32	...	Nevada
33	...	New Hampshire
34	...	New Jersey
35	...	New Mexico
36	...	New York
37	...	North Carolina
38	...	North Dakota
39	...	Ohio
40	...	Oklahoma
41	...	Oregon
42	...	Pennsylvania

44 ... Rhode Island
 2000

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Item Length</u>	<u>Item</u>	<u>Variable Name, Item and Code Outline</u>
19-20	2		<p><u>STRESFIPB</u> <u>State of Residence (FIPS) - Birth Cond't</u></p> <p><u>United States Occurrence</u></p> <p>45 ... South Carolina 46 ... South Dakota 47 ... Tennessee 48 ... Texas 49 ... Utah 50 ... Vermont 51 ... Virginia 53 ... Washington 54 ... West Virginia 55 ... Wisconsin 56 ... Wyoming</p> <p><u>Puerto Rico Occurrence</u></p> <p>00-56,66,78 ... Foreign Residents: Refer to U.S. for specific code structure 72 ... Puerto Rico</p> <p><u>Virgin Islands Occurrence</u></p> <p>00-56,66,72 ... Foreign Residents: Refer to U.S. for specific code structure 78 ... Virgin Islands</p> <p><u>Guam Occurrence</u></p> <p>00,72,78 ... Foreign Residents: Refer to U.S. for specific code structure 01-56 ... U.S. Resident is also considered a resident of Guam. Refer to U.S. for specific code structure 66 ... Guam</p>
21-23	3		<p><u>CNTYRFPB</u> <u>County of Residence (FIPS) - Birth</u></p> <p>000 ... Foreign residents 001-999 ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State (Note: To uniquely identify a county, both the State and county codes must be used.) 999 ... County with less than 250,000 population</p>
24-28	5		<p><u>PLRES</u> <u>Place (City) of Residence (FIPS)</u></p> <p>A complete list of cities is shown in the Geographic Code Outline further back in this document.</p> <p>00000 ... Foreign residents 00001-99999 ... Code range 99999 ... Balance of county; or city less than 250,000 population</p>

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>
29	1	<p><u>MAGEFLG</u> <u>Age of Mother Flag</u></p> <p>This position is flagged whenever age is imputed or the mother's reported age is used. The reported age is used, if valid, when computed age derived from the date of birth is not available or when it is outside the 10-49 code range.</p> <p>Blank ... Not imputed and reported age is not used 1 ... Reported age is used 2 ... Age is imputed</p>
30-31	2	<p><u>DMAGE</u> <u>Age of Mother</u></p> <p>This item is: a) computed using dates of birth of mother and of delivery; b) reported; or c) imputed. This is the age item used in NCHS publications.</p> <p>10-54 ... Age in single years</p>
32	1	<p><u>MAGERS</u> <u>Age of Mother Recode 8</u></p> <p>1 ... Under 15 years 2 ... 15 - 19 years 3 ... 20 - 24 years 4 ... 25 - 29 years 5 ... 30 - 34 years 6 ... 35 - 39 years 7 ... 40 - 44 years 8 ... 45 - 54 years</p>
33	1	<p><u>ORMOTH</u> <u>Hispanic Origin of Mother</u></p> <p>Hispanic origin is reported for all areas except Puerto Rico.</p> <p>0 ... Non-Hispanic 1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other and unknown Hispanic 9 ... Origin unknown or not stated</p>

Denominator Record and Natality Section of Numerator (Linked) Record

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <u>Item and Code Outline</u>																																										
34	1	<p><u>ORRACEM</u> <u>Hispanic Origin and Race of Mother Recode</u></p> <p>Hispanic origin is reported for all areas except Puerto Rico.</p> <table border="0"> <tr><td>1</td><td>...</td><td>Mexican</td></tr> <tr><td>2</td><td>...</td><td>Puerto Rican</td></tr> <tr><td>3</td><td>...</td><td>Cuban</td></tr> <tr><td>4</td><td>...</td><td>Central or South American</td></tr> <tr><td>5</td><td>...</td><td>Other and unknown Hispanic</td></tr> <tr><td>6</td><td>...</td><td>Non-Hispanic White</td></tr> <tr><td>7</td><td>...</td><td>Non-Hispanic Black</td></tr> <tr><td>8</td><td>...</td><td>Non-Hispanic other races</td></tr> <tr><td>9</td><td>...</td><td>Origin unknown or not stated</td></tr> </table>	1	...	Mexican	2	...	Puerto Rican	3	...	Cuban	4	...	Central or South American	5	...	Other and unknown Hispanic	6	...	Non-Hispanic White	7	...	Non-Hispanic Black	8	...	Non-Hispanic other races	9	...	Origin unknown or not stated															
1	...	Mexican																																										
2	...	Puerto Rican																																										
3	...	Cuban																																										
4	...	Central or South American																																										
5	...	Other and unknown Hispanic																																										
6	...	Non-Hispanic White																																										
7	...	Non-Hispanic Black																																										
8	...	Non-Hispanic other races																																										
9	...	Origin unknown or not stated																																										
35	1	<p><u>MRACEIMP</u> <u>Race of Mother Imputation Flag</u></p> <table border="0"> <tr><td>Blank</td><td>...</td><td>Race is not imputed</td></tr> <tr><td>1</td><td>...</td><td>Race is imputed</td></tr> <tr><td>2</td><td>...</td><td>All other races, formerly code 09, is imputed</td></tr> </table>	Blank	...	Race is not imputed	1	...	Race is imputed	2	...	All other races, formerly code 09, is imputed																																	
Blank	...	Race is not imputed																																										
1	...	Race is imputed																																										
2	...	All other races, formerly code 09, is imputed																																										
36-37	2	<p><u>MRACE</u> <u>Race of Mother - Birth Record or for Unlinked Records Race of Decedent from Death Record</u></p> <p>Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18-68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. For consistency with Census race code 09 (all other races) used prior to 1992 has been imputed.</p> <p><u>United States Occurrence</u></p> <table border="0"> <tr><td>01</td><td>...</td><td>White</td></tr> <tr><td>02</td><td>...</td><td>Black</td></tr> <tr><td>03</td><td>...</td><td>American Indian (includes Aleuts and Eskimos)</td></tr> <tr><td>04</td><td>...</td><td>Chinese</td></tr> <tr><td>05</td><td>...</td><td>Japanese</td></tr> <tr><td>06</td><td>...</td><td>Hawaiian (includes part-Hawaiian)</td></tr> <tr><td>07</td><td>...</td><td>Filipino</td></tr> <tr><td>18</td><td>...</td><td>Asian Indian</td></tr> <tr><td>28</td><td>...</td><td>Korean</td></tr> <tr><td>38</td><td>...</td><td>Samoan</td></tr> <tr><td>48</td><td>...</td><td>Vietnamese</td></tr> <tr><td>58</td><td>...</td><td>Guamanian</td></tr> <tr><td>68</td><td>...</td><td>Other Asian or Pacific Islander in areas reporting codes 18-58</td></tr> <tr><td>78</td><td>...</td><td>Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately</td></tr> </table>	01	...	White	02	...	Black	03	...	American Indian (includes Aleuts and Eskimos)	04	...	Chinese	05	...	Japanese	06	...	Hawaiian (includes part-Hawaiian)	07	...	Filipino	18	...	Asian Indian	28	...	Korean	38	...	Samoan	48	...	Vietnamese	58	...	Guamanian	68	...	Other Asian or Pacific Islander in areas reporting codes 18-58	78	...	Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately
01	...	White																																										
02	...	Black																																										
03	...	American Indian (includes Aleuts and Eskimos)																																										
04	...	Chinese																																										
05	...	Japanese																																										
06	...	Hawaiian (includes part-Hawaiian)																																										
07	...	Filipino																																										
18	...	Asian Indian																																										
28	...	Korean																																										
38	...	Samoan																																										
48	...	Vietnamese																																										
58	...	Guamanian																																										
68	...	Other Asian or Pacific Islander in areas reporting codes 18-58																																										
78	...	Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately																																										

Denominator Record and Natality Section of Numerator (Linked) Record

Item	Item	Variable Name, Item and Code Outline																																																												
36-37	2	<p><u>MRACE</u> <u>Race of Mother - Birth Record or for Unlinked Records Race of Decedent from Death Record (Cond't)</u></p> <p><u>Puerto Rico Occurrence</u></p> <table border="0"> <tr><td>00</td><td>...</td><td>Other races</td></tr> <tr><td>01</td><td>...</td><td>White</td></tr> <tr><td>02</td><td>...</td><td>Black</td></tr> </table> <p><u>Virgin Islands Occurrence</u></p> <table border="0"> <tr><td>01</td><td>...</td><td>White</td></tr> <tr><td>02</td><td>...</td><td>Black</td></tr> <tr><td>03</td><td>...</td><td>American Indian (includes Aleuts and Eskimos)</td></tr> <tr><td>04</td><td>...</td><td>Chinese</td></tr> <tr><td>05</td><td>...</td><td>Japanese</td></tr> <tr><td>06</td><td>...</td><td>Hawaiian (includes part-Hawaiian)</td></tr> <tr><td>07</td><td>...</td><td>Filipino</td></tr> <tr><td>08</td><td>...</td><td>Other Asian or Pacific Islander</td></tr> </table> <p><u>Guam Occurrence</u></p> <table border="0"> <tr><td>01</td><td>...</td><td>White</td></tr> <tr><td>02</td><td>...</td><td>Black</td></tr> <tr><td>03</td><td>...</td><td>American Indian (includes Aleuts and Eskimos)</td></tr> <tr><td>04</td><td>...</td><td>Chinese</td></tr> <tr><td>05</td><td>...</td><td>Japanese</td></tr> <tr><td>06</td><td>...</td><td>Hawaiian (includes part-Hawaiian)</td></tr> <tr><td>07</td><td>...</td><td>Filipino</td></tr> <tr><td>08</td><td>...</td><td>Other Asian or Pacific Islander</td></tr> <tr><td>58</td><td>...</td><td>Guamanian</td></tr> </table>	00	...	Other races	01	...	White	02	...	Black	01	...	White	02	...	Black	03	...	American Indian (includes Aleuts and Eskimos)	04	...	Chinese	05	...	Japanese	06	...	Hawaiian (includes part-Hawaiian)	07	...	Filipino	08	...	Other Asian or Pacific Islander	01	...	White	02	...	Black	03	...	American Indian (includes Aleuts and Eskimos)	04	...	Chinese	05	...	Japanese	06	...	Hawaiian (includes part-Hawaiian)	07	...	Filipino	08	...	Other Asian or Pacific Islander	58	...	Guamanian
00	...	Other races																																																												
01	...	White																																																												
02	...	Black																																																												
01	...	White																																																												
02	...	Black																																																												
03	...	American Indian (includes Aleuts and Eskimos)																																																												
04	...	Chinese																																																												
05	...	Japanese																																																												
06	...	Hawaiian (includes part-Hawaiian)																																																												
07	...	Filipino																																																												
08	...	Other Asian or Pacific Islander																																																												
01	...	White																																																												
02	...	Black																																																												
03	...	American Indian (includes Aleuts and Eskimos)																																																												
04	...	Chinese																																																												
05	...	Japanese																																																												
06	...	Hawaiian (includes part-Hawaiian)																																																												
07	...	Filipino																																																												
08	...	Other Asian or Pacific Islander																																																												
58	...	Guamanian																																																												
38	1	<p><u>MRACE3</u> <u>Race of Mother Recode</u></p> <table border="0"> <tr><td>1</td><td>...</td><td>White</td></tr> <tr><td>2</td><td>...</td><td>Races other than White or Black</td></tr> <tr><td>3</td><td>...</td><td>Black</td></tr> </table>	1	...	White	2	...	Races other than White or Black	3	...	Black																																																			
1	...	White																																																												
2	...	Races other than White or Black																																																												
3	...	Black																																																												

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>																																				
39-40	2	<p><u>DMEDUC</u> <u>Education of Mother Detail</u></p> <p>All areas report education of mother.</p> <table border="1"> <tr><td>00</td><td>...</td><td>No formal education</td></tr> <tr><td>01-08</td><td>...</td><td>Years of elementary school</td></tr> <tr><td>09</td><td>...</td><td>1 year of high school</td></tr> <tr><td>10</td><td>...</td><td>2 years of high school</td></tr> <tr><td>11</td><td>...</td><td>3 years of high school</td></tr> <tr><td>12</td><td>...</td><td>4 years of high school</td></tr> <tr><td>13</td><td>...</td><td>1 year of college</td></tr> <tr><td>14</td><td>...</td><td>2 years of college</td></tr> <tr><td>15</td><td>...</td><td>3 years of college</td></tr> <tr><td>16</td><td>...</td><td>4 years of college</td></tr> <tr><td>17</td><td>...</td><td>5 or more years of college</td></tr> <tr><td>99</td><td>...</td><td>Not stated</td></tr> </table>	00	...	No formal education	01-08	...	Years of elementary school	09	...	1 year of high school	10	...	2 years of high school	11	...	3 years of high school	12	...	4 years of high school	13	...	1 year of college	14	...	2 years of college	15	...	3 years of college	16	...	4 years of college	17	...	5 or more years of college	99	...	Not stated
00	...	No formal education																																				
01-08	...	Years of elementary school																																				
09	...	1 year of high school																																				
10	...	2 years of high school																																				
11	...	3 years of high school																																				
12	...	4 years of high school																																				
13	...	1 year of college																																				
14	...	2 years of college																																				
15	...	3 years of college																																				
16	...	4 years of college																																				
17	...	5 or more years of college																																				
99	...	Not stated																																				
41	1	<p><u>MEDUC6</u> <u>Education of Mother Recode</u></p> <table border="1"> <tr><td>1</td><td>...</td><td>0 - 8 years</td></tr> <tr><td>2</td><td>...</td><td>9 - 11 years</td></tr> <tr><td>3</td><td>...</td><td>12 years</td></tr> <tr><td>4</td><td>...</td><td>13 - 15 years</td></tr> <tr><td>5</td><td>...</td><td>16 years and over</td></tr> <tr><td>6</td><td>...</td><td>Not stated</td></tr> </table>	1	...	0 - 8 years	2	...	9 - 11 years	3	...	12 years	4	...	13 - 15 years	5	...	16 years and over	6	...	Not stated																		
1	...	0 - 8 years																																				
2	...	9 - 11 years																																				
3	...	12 years																																				
4	...	13 - 15 years																																				
5	...	16 years and over																																				
6	...	Not stated																																				
42	1	<p><u>DMARIMP</u> <u>Marital Status of Mother Imputation Flag</u></p> <table border="1"> <tr><td>Blank</td><td>...</td><td>Marital status is not imputed</td></tr> <tr><td>1</td><td>...</td><td>Marital status is imputed</td></tr> </table>	Blank	...	Marital status is not imputed	1	...	Marital status is imputed																														
Blank	...	Marital status is not imputed																																				
1	...	Marital status is imputed																																				
43	1	<p><u>DMAR</u> <u>Marital Status of Mother</u></p> <p>Marital status is not reported by all areas. See reporting flags.</p> <p><u>United States/Virgin Islands/Guam Occurrence</u></p> <table border="1"> <tr><td>1</td><td>...</td><td>Married</td></tr> <tr><td>2</td><td>...</td><td>Unmarried</td></tr> <tr><td>9</td><td>...</td><td>Unknown or not stated</td></tr> </table> <p><u>Puerto Rico Occurrence</u></p> <table border="1"> <tr><td>1</td><td>...</td><td>Married</td></tr> <tr><td>2</td><td>...</td><td>Unmarried parents living together</td></tr> <tr><td>3</td><td>...</td><td>Unmarried parents not living together</td></tr> <tr><td>9</td><td>...</td><td>Unknown or not stated</td></tr> </table>	1	...	Married	2	...	Unmarried	9	...	Unknown or not stated	1	...	Married	2	...	Unmarried parents living together	3	...	Unmarried parents not living together	9	...	Unknown or not stated															
1	...	Married																																				
2	...	Unmarried																																				
9	...	Unknown or not stated																																				
1	...	Married																																				
2	...	Unmarried parents living together																																				
3	...	Unmarried parents not living together																																				
9	...	Unknown or not stated																																				

Denominator Record and Natality Section of Numerator (Linked) Record

Item	Item	Variable Name, Item and Code Outline
44-45	2	<u>MPLBIR</u> <u>Place of Birth of Mother</u>
		01 ... Alabama
		02 ... Alaska
		03 ... Arizona
		04 ... Arkansas
		05 ... California
		06 ... Colorado
		07 ... Connecticut
		08 ... Delaware
		09 ... District of Columbia
		10 ... Florida
		11 ... Georgia
		12 ... Hawaii
		13 ... Idaho
		14 ... Illinois
		15 ... Indiana
		16 ... Iowa
		17 ... Kansas
		18 ... Kentucky
		19 ... Louisiana
		20 ... Maine
		21 ... Maryland
		22 ... Massachusetts
		23 ... Michigan
		24 ... Minnesota
		25 ... Mississippi
		26 ... Missouri
		27 ... Montana
		28 ... Nebraska
		29 ... Nevada
		30 ... New Hampshire
		31 ... New Jersey
		32 ... New Mexico
		33 ... New York
		34 ... North Carolina
		35 ... North Dakota
		36 ... Ohio
		37 ... Oklahoma
		38 ... Oregon
		39 ... Pennsylvania
		40 ... Rhode Island
		41 ... South Carolina
		42 ... South Dakota
		43 ... Tennessee
		44 ... Texas
		45 ... Utah
		46 ... Vermont
		47 ... Virginia
		48 ... Washington
		49 ... West Virginia

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Length</u>	<u>Item</u>	<u>Variable Name, Item and Code Outline</u>
44-45	2		<p><u>MPLBIR</u> <u>Place of Birth of Mother (Cond't)</u></p> <p>50 ... Wisconsin 51 ... Wyoming 52 ... Puerto Rico 53 ... Virgin Islands 54 ... Guam 55 ... Canada 56 ... Cuba 57 ... Mexico 59 ... Remainder of the World 99 ... Not Classifiable</p>
46	1		<p><u>MPLBIRR</u> <u>Place of Birth of Mother Recode</u></p> <p><u>United States Occurrence</u></p> <p>1 ... Born in the 50 States and D.C. 2 ... Born outside the 50 States and DC 3 ... Unknown or not stated</p> <p><u>Puerto Rico/Virgin Island/ Guam Occurrence</u></p> <p>Blank ... This item not recorded</p>
47-48	2		<p><u>DTOTORD</u> <u>Detail Total Birth Order</u></p> <p>Sum of live birth order and other terminations of pregnancy. If either item is unknown, this item is made unknown.</p> <p>01-40 ... Total number of live births and other terminations of pregnancy 99 ... Unknown</p>
49-50	2		<p><u>DLIVORD</u> <u>Detail Live Birth Order</u></p> <p>Sum of live births now living and now dead plus one. If either item is unknown, this item is made unknown.</p> <p>00-31 ... Number of children born alive to mother 99 ... Unknown</p>

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>																																	
51-52	2	<p><u>MONPRE</u> <u>Detail Month of Pregnancy Prenatal Care Began</u></p> <table> <tr><td>00</td><td>...</td><td>No prenatal care</td></tr> <tr><td>01</td><td>...</td><td>1st month</td></tr> <tr><td>02</td><td>...</td><td>2nd month</td></tr> <tr><td>03</td><td>...</td><td>3rd month</td></tr> <tr><td>04</td><td>...</td><td>4th month</td></tr> <tr><td>05</td><td>...</td><td>5th month</td></tr> <tr><td>06</td><td>...</td><td>6th month</td></tr> <tr><td>07</td><td>...</td><td>7th month</td></tr> <tr><td>08</td><td>...</td><td>8th month</td></tr> <tr><td>09</td><td>...</td><td>9th month</td></tr> <tr><td>99</td><td>...</td><td>Unknown or not stated</td></tr> </table>	00	...	No prenatal care	01	...	1st month	02	...	2nd month	03	...	3rd month	04	...	4th month	05	...	5th month	06	...	6th month	07	...	7th month	08	...	8th month	09	...	9th month	99	...	Unknown or not stated
00	...	No prenatal care																																	
01	...	1st month																																	
02	...	2nd month																																	
03	...	3rd month																																	
04	...	4th month																																	
05	...	5th month																																	
06	...	6th month																																	
07	...	7th month																																	
08	...	8th month																																	
09	...	9th month																																	
99	...	Unknown or not stated																																	
53	1	<p><u>MPRE5</u> <u>Month Prenatal Care Began Recode 5</u></p> <table> <tr><td>1</td><td>...</td><td>1st Trimester (1st-3rd month)</td></tr> <tr><td>2</td><td>...</td><td>2nd Trimester (4th-6th month)</td></tr> <tr><td>3</td><td>...</td><td>3rd Trimester (7th-9th month)</td></tr> <tr><td>4</td><td>...</td><td>No prenatal care</td></tr> <tr><td>5</td><td>...</td><td>Unknown or not stated</td></tr> </table>	1	...	1st Trimester (1st-3rd month)	2	...	2nd Trimester (4th-6th month)	3	...	3rd Trimester (7th-9th month)	4	...	No prenatal care	5	...	Unknown or not stated																		
1	...	1st Trimester (1st-3rd month)																																	
2	...	2nd Trimester (4th-6th month)																																	
3	...	3rd Trimester (7th-9th month)																																	
4	...	No prenatal care																																	
5	...	Unknown or not stated																																	
54-55	2	<p><u>NPREVIST</u> <u>Total Number of Prenatal Visits</u></p> <table> <tr><td>00</td><td>...</td><td>No prenatal visits</td></tr> <tr><td>01-48</td><td>...</td><td>Stated number of visits</td></tr> <tr><td>49</td><td>...</td><td>49 or more visits</td></tr> <tr><td>99</td><td>...</td><td>Unknown or not stated</td></tr> </table>	00	...	No prenatal visits	01-48	...	Stated number of visits	49	...	49 or more visits	99	...	Unknown or not stated																					
00	...	No prenatal visits																																	
01-48	...	Stated number of visits																																	
49	...	49 or more visits																																	
99	...	Unknown or not stated																																	
56	1	<p><u>ADEQUACY</u> <u>Adequacy of Care Recode (Kessner Index)</u></p> <p>This code is based on a modified Kessner criterion. Month Prenatal Care Began, Number of Prenatal Visits, and Gestation are the items used to generate this recode.</p> <table> <tr><td>1</td><td>...</td><td>Adequate</td></tr> <tr><td>2</td><td>...</td><td>Intermediate</td></tr> <tr><td>3</td><td>...</td><td>Inadequate</td></tr> <tr><td>4</td><td>...</td><td>Unknown</td></tr> </table>	1	...	Adequate	2	...	Intermediate	3	...	Inadequate	4	...	Unknown																					
1	...	Adequate																																	
2	...	Intermediate																																	
3	...	Inadequate																																	
4	...	Unknown																																	
57-59	3	<p><u>R1</u> <u>Reserved Positions</u></p>																																	

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>
60	1	<p><u>FAGERFLG</u> <u>Reported Age of Father Used Flag</u></p> <p>This position is flagged whenever the Father's reported age in years is used. The reported age is used, if valid, when age derived from date of birth is not available or when it is less than 10.</p> <p>Blank ... Reported age is not used 1 ... Reported age is used</p>
61-62	2	<p><u>DFAGE</u> <u>Age of Father</u></p> <p>This item is either computed from date of birth of father and of child or is the reported age. This is the age item used in NCHS publications.</p> <p>10-98 ... Age in single years 99 ... Unknown or not stated</p>
63	1	<p><u>ORFATH</u> <u>Hispanic Origin of Father</u></p> <p>Hispanic origin is reported for all areas except Puerto Rico.</p> <p>0 ... Non-Hispanic 1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other and unknown Hispanic 9 ... Origin unknown or not stated</p>
64	1	<p><u>ORRACEF</u> <u>Hispanic Origin and Race of Father Recode</u></p> <p>Hispanic origin is reported for all areas except Puerto Rico.</p> <p>1 ... Mexican 2 ... Puerto Rican 3 ... Cuban 4 ... Central or South American 5 ... Other and unknown Hispanic 6 ... Non-Hispanic White 7 ... Non-Hispanic Black 8 ... Non-Hispanic other or unknown race 9 ... Origin unknown or not stated</p>

2000

Denominator Record and Natality Section of Numerator (Linked) Record

Item Item
LocationLength

Variable Name,
Item and Code Outline

65-66 2

FRACE
Race of Father

Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. See reporting flags. Codes 18 -68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. Code 09 (all other races) has been changed to 99.

United States Occurrence

01	...	White
02	...	Black
03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes part-Hawaiian)
07	...	Filipino
18	...	Asian Indian
28	...	Korean
38	...	Samoan
48	...	Vietnamese
58	...	Guamanian
68	...	Other Asian or Pacific Islander in areas reporting codes 18-58
78	...	Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately
99	...	Unknown or not stated

Puerto Rico Occurrence

00	...	Other races
01	...	White
02	...	Black
99	...	Unknown or not stated

Virgin Islands Occurrence

01	...	White
02	...	Black
03	...	American Indian (includes Aleuts and Eskimos)
04	...	Chinese
05	...	Japanese
06	...	Hawaiian (includes part-Hawaiian)
07	...	Filipino
08	...	Other Asian or Pacific Islander
99	...	Unknown or not stated

Denominator Record and Natality Section of Numerator (Linked) Record

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <u>Item and Code Outline</u>																														
65-66	2	<p><u>FRACE</u> <u>Race of Father (Cond't)</u></p> <p><u>Guam Occurrence</u></p> <table border="1"> <tr><td>01</td><td>...</td><td>White</td></tr> <tr><td>02</td><td>...</td><td>Black</td></tr> <tr><td>03</td><td>...</td><td>American Indian (includes Aleuts and Eskimos)</td></tr> <tr><td>04</td><td>...</td><td>Chinese</td></tr> <tr><td>05</td><td>...</td><td>Japanese</td></tr> <tr><td>06</td><td>...</td><td>Hawaiian (includes part-Hawaiian)</td></tr> <tr><td>07</td><td>...</td><td>Filipino</td></tr> <tr><td>08</td><td>...</td><td>Other Asian or Pacific Islander</td></tr> <tr><td>58</td><td>...</td><td>Guamanian</td></tr> <tr><td>99</td><td>...</td><td>Unknown or not stated</td></tr> </table>	01	...	White	02	...	Black	03	...	American Indian (includes Aleuts and Eskimos)	04	...	Chinese	05	...	Japanese	06	...	Hawaiian (includes part-Hawaiian)	07	...	Filipino	08	...	Other Asian or Pacific Islander	58	...	Guamanian	99	...	Unknown or not stated
01	...	White																														
02	...	Black																														
03	...	American Indian (includes Aleuts and Eskimos)																														
04	...	Chinese																														
05	...	Japanese																														
06	...	Hawaiian (includes part-Hawaiian)																														
07	...	Filipino																														
08	...	Other Asian or Pacific Islander																														
58	...	Guamanian																														
99	...	Unknown or not stated																														
67	1	<p><u>PLDEL</u> <u>Place or Facility of Delivery</u></p> <table border="1"> <tr><td>1</td><td>...</td><td>Hospital</td></tr> <tr><td>2</td><td>...</td><td>Freestanding Birthing Center</td></tr> <tr><td>3</td><td>...</td><td>Clinic or Doctor's Office</td></tr> <tr><td>4</td><td>...</td><td>A Residence</td></tr> <tr><td>5</td><td>...</td><td>Other</td></tr> <tr><td>9</td><td>...</td><td>Unknown or Not Stated</td></tr> </table>	1	...	Hospital	2	...	Freestanding Birthing Center	3	...	Clinic or Doctor's Office	4	...	A Residence	5	...	Other	9	...	Unknown or Not Stated												
1	...	Hospital																														
2	...	Freestanding Birthing Center																														
3	...	Clinic or Doctor's Office																														
4	...	A Residence																														
5	...	Other																														
9	...	Unknown or Not Stated																														
68	1	<p><u>BIRATTND</u> <u>Attendant at Delivery</u></p> <table border="1"> <tr><td>1</td><td>...</td><td>Doctor of Medicine (M.D.)</td></tr> <tr><td>2</td><td>...</td><td>Doctor of Osteopathy (D.O.)</td></tr> <tr><td>3</td><td>...</td><td>Certified Nurse Midwife (C.N.M.)</td></tr> <tr><td>4</td><td>...</td><td>Other Midwife</td></tr> <tr><td>5</td><td>...</td><td>Other</td></tr> <tr><td>9</td><td>...</td><td>Unknown or not stated</td></tr> </table>	1	...	Doctor of Medicine (M.D.)	2	...	Doctor of Osteopathy (D.O.)	3	...	Certified Nurse Midwife (C.N.M.)	4	...	Other Midwife	5	...	Other	9	...	Unknown or not stated												
1	...	Doctor of Medicine (M.D.)																														
2	...	Doctor of Osteopathy (D.O.)																														
3	...	Certified Nurse Midwife (C.N.M.)																														
4	...	Other Midwife																														
5	...	Other																														
9	...	Unknown or not stated																														
69	1	<p><u>R2</u> <u>Reserved position</u></p>																														
70	1	<p><u>GESTESTM</u> <u>Clinical Estimate of Gestation Used Flag</u></p> <p>This position is flagged whenever the clinical estimate of gestation is used. It is used when gestation could not be computed or when the computed gestation is outside the 17-47 code range.</p> <table border="1"> <tr><td>Blank</td><td>...</td><td>Clinical Estimate is not used</td></tr> <tr><td>1</td><td>...</td><td>Clinical Estimate is used</td></tr> </table>	Blank	...	Clinical Estimate is not used	1	...	Clinical Estimate is used																								
Blank	...	Clinical Estimate is not used																														
1	...	Clinical Estimate is used																														

2000
Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u> <u>Location</u>	<u>Item</u> <u>Length</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>
71-72	2	<p><u>CLINGEST</u> <u>Clinical Estimate of Gestation</u></p> <p>Clinical estimate is not reported by all areas. See reporting flags.</p> <p>17-47 ... Estimated gestation in weeks 99 ... Unknown or not stated</p>
73	1	<p><u>GESTIMP</u> <u>Gestation Imputation Flag</u></p> <p>Blank ... Gestation is not imputed 1 ... Gestation is imputed</p>
74-75	2	<p><u>GESTAT</u> <u>Gestation - Detail in Weeks</u></p> <p>This item is: a) computed using dates of birth of child and last normal menses; b) imputed from LMP date; c) the clinical estimate; or d) unknown when there is insufficient data to impute or no valid clinical estimate. This is the gestation item used in NCHS publications.</p> <p>17-47 ... 17th through 47th week of gestation 99 ... Unknown</p>
76-77	2	<p><u>GESTAT 10</u> <u>GESTATION RECODE 10</u></p> <p>01 ... Under 20 weeks 02 ... 20 - 27 weeks 03 ... 28 - 31 weeks 04 ... 32 - 35 weeks 05 ... 36 weeks 06 ... 37 - 39 weeks 07 ... 40 weeks 08 ... 41 weeks 09 ... 42 weeks and over 10 ... Not stated</p>
78	1	<p><u>CSEXIMP</u> <u>Sex Imputation Flag</u></p> <p>Blank ... Sex is not imputed 1 ... Sex is imputed</p>
79	1	<p><u>CSEX</u> <u>Sex</u></p> <p>1 ... Male 2 ... Female</p>

Denominator Record and Natality Section of Numerator (Linked) Record

Item <u>Location</u> <u>Length</u>	Item	Variable Name, <u>Item and Code Outline</u>
80-87	8	<p><u>BIRTHWEIGHT</u></p> <p>Beginning in 1995, an imputation for not-stated birthweight was added to reduce potential bias in the data (see section on Changes beginning with the 1995 data year in the introductory text to this documentation). The following imputation flag can be used to delete imputed values for those researchers wishing to use only reported birthweight data.</p>
80	1	<p><u>BWIF</u> <u>Birth Weight Imputation Flag</u></p> <p>Blank ... Birthweight is not imputed 1 ... Birthweight is imputed</p>
81-84	4	<p><u>DBIRWT</u> <u>Birth Weight Detail in Grams (Imputed)</u></p> <p>0227-8165 ... Number of grams 9999 ... Not stated birth weight</p>
85-86	2	<p><u>BIRWT12</u> <u>Birth Weight Recode 12 (Imputed)</u></p> <p>01 ... 499 grams or less 02 ... 500-999 grams 03 ... 1000-1499 grams 04 ... 1500-1999 grams 05 ... 2000-2499 grams 06 ... 2500-2999 grams 07 ... 3000-3499 grams 08 ... 3500-3999 grams 09 ... 4000-4499 grams 10 ... 4500-4999 grams 11 ... 5000-8165 grams 12 ... Unknown or not stated</p>
87	1	<p><u>BIRWT4</u> <u>Birth Weight Recode 4 (Imputed)</u></p> <p>1 ... 1499 grams or less 2 ... 1500-2499 grams 3 ... 2500 grams or more 4 ... Unknown or not stated</p>
88	1	<p><u>PLURIMP</u> <u>Plurality Imputation Flag</u></p> <p>Blank ... Plurality is not imputed 1 ... Plurality is imputed</p>

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Length</u>	<u>Item</u>	<u>Variable Name, Item and Code Outline</u>
89		1	<p><u>DPLURAL</u> <u>Plurality</u></p> <p>1 ... Single 2 ... Twin 3 ... Triplet 4 ... Quadruplet 5 ... Quintuplet or higher</p>
90-91		2	<p><u>FMAPS</u> <u>Five-Minute Apgar Score</u></p> <p>Apgar score is not reported by all areas. See reporting flags.</p> <p>00-10 ... A score of 0-10 99 ... Unknown or not stated</p>
92-186	95		<p><u>MEDINFO</u> <u>Medical and Health Data</u></p> <p>Some States do not report an entire item while other States do not report all of the categories within an item. If an item is not reported, it is indicated by code zero in the appropriate reporting flag. If a category within an item is not reported it is indicated by code 8 in the position for that category.</p>
92-99		8	<p><u>DELMETH</u> <u>Method of Delivery</u></p> <p>Each method is assigned a separate position, and the code structure for each method (position) is:</p> <p>1 ... The method was used 2 ... The method was not used 8 ... Method not on certificate 9 ... Method unknown or not stated</p>
92		1	<p><u>VAGINAL</u> <u>Vaginal</u></p>
93		1	<p><u>VBAC</u> <u>Vaginal Birth After Previous C-Section</u></p>
94		1	<p><u>PRIMAC</u> <u>Primary C-Section</u></p>
95		1	<p><u>REPEAC</u> <u>Repeat C-Section</u></p>
96		1	<p><u>FORCEP</u> <u>Forceps</u></p>

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item Location</u>	<u>Length</u>	<u>Item</u>	<u>Variable Name, Item and Code Outline</u>
97		1	<u>VACUUM</u> <u>Vacuum</u>
98		1	<u>R3</u> <u>Reserved Position</u>
99		1	<u>DELMETH5</u> <u>Method of Delivery Recode</u>
			1 ... Vaginal (excludes Vaginal after previous C-section)
			2 ... Vaginal birth after previous C section
			3 ... Primary C-section
			4 ... Repeat C-Section
			5 ... Not stated
100-117	18		<u>MEDRISK</u> <u>Medical Risk Factors</u>
			Each risk factor is assigned a separate position, and the code structure for each risk factor (position) is:
			1 ... Factor reported
			2 ... Factor not reported
			8 ... Factor not on certificate
			9 ... Factor not classifiable
100		1	<u>MRFLAG</u> <u>No Medical Risk Factors Reported Flag</u>
			Blank ... One or more medical risk factors coded, one, eight, or nine
			2 ... No medical risk factors reported. Each factor is coded a two.
101		1	<u>ANEMIA</u> <u>Anemia (Hct.<30/Hgb.<10)</u>
102		1	<u>CARDIAC</u> <u>Cardiac disease</u>
103		1	<u>LUNG</u> <u>Acute or chronic lung disease</u>
104		1	<u>DIABETES</u> <u>Diabetes</u>
105		1	<u>HERPES</u> <u>Genital herpes</u>
106		1	<u>HYDRA</u> <u>Hydramnios/Oligohydramnios</u>

Denominator Record and Natality Section of Numerator (Linked) Record

Item <u>Location</u>	Item <u>Length</u>	Variable Name, <u>Item and Code Outline</u>
107	1	<u>HEMO</u> <u>Hemoglobinopathy</u>
108	1	<u>CHYPER</u> <u>Hypertension, chronic</u>
109	1	<u>PHYPER</u> <u>Hypertension, pregnancy-associated</u>
110	1	<u>ECLAMP</u> <u>Eclampsia</u>
111	1	<u>INCERVIX</u> <u>Incompetent cervix</u>
112	1	<u>PRE4000</u> <u>Previous infant 4000+ grams</u>
113	1	<u>PRETERM</u> <u>Previous preterm or small-for-gestational-age infant</u>
114	1	<u>RENAL</u> <u>Renal disease</u>
115	1	<u>RH</u> <u>Rh sensitization</u>
116	1	<u>UTERINE</u> <u>Uterine bleeding</u>
117	1	<u>OTHERMR</u> <u>Other Medical Risk Factors</u>
118-128	11	<u>OTHERRSK</u> <u>Other Risk Factors for this Pregnancy</u>
118-121	4	<u>TOBACRSK</u> <u>Tobacco Risks</u>
118	1	<u>TOBACCO</u> <u>Tobacco Use During Pregnancy</u>
		1 ... Yes
		2 ... No
		9 ... Unknown or not stated
119-120	2	<u>CIGAR</u> <u>Average Number of Cigarettes Per Day</u>
		00-97 ... As stated
		98 ... 98 or more cigarettes per day
		99 ... Unknown or not stated

2000

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>
121	1	<p><u>CIGAR6</u> <u>Average Number of Cigarettes Per Day Recode</u></p> <p>0 ... Non-smoker 1 ... 1-5 cigarettes per day 2 ... 6-10 cigarettes per day 3 ... 11-20 cigarettes per day 4 ... 21-40 cigarettes per day 5 ... 41 or more cigarettes per day 6 ... Unknown or not stated</p>
122-125	4	<p><u>ALCOHRSK</u> <u>Alcohol</u></p>
122	1	<p><u>ALCOHOL</u> <u>Alcohol Use During Pregnancy</u></p> <p>1 ... Yes 2 ... No 9 ... Unknown or not stated</p>
123-124	2	<p><u>DRINK</u> <u>Average Number of Drinks Per Week</u></p> <p>00-97 ... As stated 98 ... 98 or more drinks per week 99 ... Unknown or not stated</p>
125	1	<p><u>DRINK5</u> <u>Average Number of Drinks Per Week Recode</u></p> <p>0 ... Non-drinker 1 ... 1 drink per week 2 ... 2 drinks per week 3 ... 3-4 drinks per week 4 ... 5 or more drinks per week 5 ... Unknown or not stated</p>
126-128	3	<p><u>WTGANRSK</u> <u>Weight Gain During Pregnancy</u></p>
126-127	2	<p><u>WTGAIN</u> <u>Weight Gain</u></p> <p>00-97 ... Stated number of pounds 98 ... 98 pounds or more 99 ... Unknown or not stated</p>

Denominator Record and Natality Section of Numerator (Linked) Record

Item <u>LocationLength</u>	Item	Variable Name, <u>Item and Code Outline</u>
128	1	<p><u>WTGAIN9</u> <u>Weight Gain Recode</u></p> <p>1 ... Less than 16 pounds 2 ... 16-20 pounds 3 ... 21-25 pounds 4 ... 26-30 pounds 5 ... 31-35 pounds 6 ... 36-40 pounds 7 ... 41-45 pounds 8 ... 46 or more pounds 9 ... Unknown or not stated</p>
129-136	8	<p><u>OBSTETRC</u> <u>Obstetric Procedures</u></p> <p>Each procedure is assigned a separate position, and the code structure for each procedure (position) is:</p> <p>1 ... Procedure reported 2 ... Procedure not reported 8 ... Procedure not on certificate 9 ... Procedure not classifiable</p>
129	1	<p><u>OBFLAG</u> <u>Obstetric Flag</u></p> <p>Blank ... One or more obstetric procedures coded, one, eight, or nine 2 ... No obstetric procedures reported. Each factor is coded a two.</p>
130	1	<p><u>AMNIO</u> <u>Amniocentesis</u></p>
131	1	<p><u>MONITOR</u> <u>Electronic fetal monitoring</u></p>
132	1	<p><u>INDUCT</u> <u>Induction of labor</u></p>
133	1	<p><u>STIMULA</u> <u>Stimulation of labor</u></p>
134	1	<p><u>TOCOL</u> <u>Tocolysis</u></p>
135	1	<p><u>ULTRAS</u> <u>Ultrasound</u></p>
136	1	<p><u>OTHEROB</u></p>

Other Obstetric Procedures

2000

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>												
137-153	17	<p><u>LABOR</u> <u>Complications of Labor and/or Delivery</u></p> <p>Each complication is assigned a separate position, and the code structure for each complication (position) is:</p> <table border="0"> <tr> <td>1</td> <td>...</td> <td>Complication reported</td> </tr> <tr> <td>2</td> <td>...</td> <td>Complication not reported</td> </tr> <tr> <td>8</td> <td>...</td> <td>Complication not on certificate</td> </tr> <tr> <td>9</td> <td>...</td> <td>Complication not classifiable</td> </tr> </table>	1	...	Complication reported	2	...	Complication not reported	8	...	Complication not on certificate	9	...	Complication not classifiable
1	...	Complication reported												
2	...	Complication not reported												
8	...	Complication not on certificate												
9	...	Complication not classifiable												
137	1	<p><u>FBFLAG</u> <u>Labor Flag</u></p> <table border="0"> <tr> <td>Blank</td> <td>...</td> <td>One or more labor and/or delivery complications coded, one, eight, or nine</td> </tr> <tr> <td>2</td> <td>...</td> <td>No labor and/or delivery complication reported. Each factor is coded a two.</td> </tr> </table>	Blank	...	One or more labor and/or delivery complications coded, one, eight, or nine	2	...	No labor and/or delivery complication reported. Each factor is coded a two.						
Blank	...	One or more labor and/or delivery complications coded, one, eight, or nine												
2	...	No labor and/or delivery complication reported. Each factor is coded a two.												
138	1	<p><u>FEBRILE</u> <u>Febrile (>100 degrees F. or 38 degrees C.)</u></p>												
139	1	<p><u>MECONIUM</u> <u>Meconium, moderate/heavy</u></p>												
140	1	<p><u>RUPTURE</u> <u>Premature rupture of membrane (>12 hours)</u></p>												
141	1	<p><u>ABRUPTIO</u> <u>Abruptio placenta</u></p>												
142	1	<p><u>PREPLACE</u> <u>Placenta previa</u></p>												
143	1	<p><u>EXCEBLD</u> <u>Other excessive bleeding</u></p>												
144	1	<p><u>SEIZURE</u> <u>Seizures during labor</u></p>												
145	1	<p><u>PRECIP</u> <u>Precipitous labor (<3 hours)</u></p>												
146	1	<p><u>PROLONG</u> <u>Prolonged labor (>20 hours)</u></p>												
147	1	<p><u>DYSFUNC</u> <u>Dysfunctional labor</u></p>												
148	1	<p><u>BREECH</u></p>												

Breech/Malpresentation

2000

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>												
149	1	<u>CEPHALO</u> <u>Cephalopelvic disproportion</u>												
150	1	<u>CORD</u> <u>Cord prolapse</u>												
151	1	<u>ANESTHE</u> <u>Anesthetic complications</u>												
152	1	<u>DISTRESS</u> <u>Fetal distress</u>												
153	1	<u>OTHERLB</u> <u>Other Complications of Labor and/or Delivery</u>												
154-163	10	<u>NEWBORN</u> <u>Abnormal conditions of the Newborn</u> Each condition is assigned a separate position, and the code structure for each condition (position) is: <table border="0" style="margin-left: 40px;"> <tr> <td>1</td> <td>...</td> <td>Condition reported</td> </tr> <tr> <td>2</td> <td>...</td> <td>Condition not reported</td> </tr> <tr> <td>8</td> <td>...</td> <td>Condition not on certificate</td> </tr> <tr> <td>9</td> <td>...</td> <td>Condition not classifiable</td> </tr> </table>	1	...	Condition reported	2	...	Condition not reported	8	...	Condition not on certificate	9	...	Condition not classifiable
1	...	Condition reported												
2	...	Condition not reported												
8	...	Condition not on certificate												
9	...	Condition not classifiable												
154	1	<u>NBFLAG</u> <u>Newborn Flag</u> <table border="0" style="margin-left: 40px;"> <tr> <td>Blank</td> <td>...</td> <td>One or more abnormal conditions of the newborn coded, one, eight, or nine</td> </tr> <tr> <td>2</td> <td>...</td> <td>No abnormal condition of the newborn reported. Each factor is coded a two.</td> </tr> </table>	Blank	...	One or more abnormal conditions of the newborn coded, one, eight, or nine	2	...	No abnormal condition of the newborn reported. Each factor is coded a two.						
Blank	...	One or more abnormal conditions of the newborn coded, one, eight, or nine												
2	...	No abnormal condition of the newborn reported. Each factor is coded a two.												
155	1	<u>NANEMIA</u> <u>Anemia Hct.>39/Hgb.<13)</u>												
156	1	<u>INJURY</u> <u>Birth injury</u>												
157	1	<u>ALCOSYN</u> <u>Fetal alcohol syndrome</u>												
158	1	<u>HYALINE</u> <u>Hyaline membrane disease</u>												
159	1	<u>MECONSYN</u> <u>Meconium aspiration syndrome</u>												

160 1 **VENL30**
Assisted ventilation, less than 30 minutes

2000
Denominator Record and Natality Section of Numerator (Linked) Record

Item Item
Location Length

Variable Name,
Item and Code Outline

161 1 **VEN30M**
Assisted ventilation, 30 minutes or more

162 1 **NSEIZ**
Seizures

163 1 **OTHERAB**
Other Abnormal Conditions of the Newborn

164-186 23 **CONGENIT**
Congenital Anomalies

Each anomaly is assigned a separate position, and the code structure for each anomaly (position) is:

1	...	Anomaly reported
2	...	Anomaly not reported
8	...	Anomaly not on certificate
9	...	Anomaly not classifiable

164 1 **CGFLAG**
Congenital Flag

Blank	...	One or more congenital anomalies coded, one, eight, or nine
2	...	No congenital anomaly is reported. Each factor is coded a two.

165 1 **ANEN**
Anencephalus

166 1 **SPINA**
Spina bifida/Meningocele

167 1 **HYDRO**
Hydrocephalus

168 1 **MICROCE**
Microcephalus

169 1 **NERVOUS**
Other central nervous system anomalies

170 1 **HEART**
Heart malformations

171 1 **CIRCUL**
Other circulatory/respiratory anomalies

172 1 **RECTAL**
Rectal atresia/stenosis

2000

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>
173	1	<u>TRACHEO</u> <u>Tracheo-esophageal fistula/Esophageal atresia</u>
174	1	<u>OMPHALO</u> <u>Omphalocele/Gastroschisis</u>
175	1	<u>GASTRO</u> <u>Other gastrointestinal anomalies</u>
176	1	<u>GENITAL</u> <u>Malformed genitalia</u>
177	1	<u>RENALAGE</u> <u>Renal agenesis</u>
178	1	<u>UROGEN</u> <u>Other urogenital anomalies</u>
179	1	<u>CLEFTLP</u> <u>Cleft lip/palate</u>
180	1	<u>ADACTYLY</u> <u>Polydactyly/Syndactyly/Adactyly</u>
181	1	<u>CLUBFOOT</u> <u>Club foot</u>
182	1	<u>HERNIA</u> <u>Diaphragmatic hernia</u>
183	1	<u>MUSCULO</u> <u>Other musculoskeletal/integumental anomalies</u>
184	1	<u>DOWNS</u> <u>Down's syndrome</u>
185	1	<u>CHROMO</u> <u>Other chromosomal anomalies</u>
186	1	<u>OTHERCON</u> <u>Other congenital anomalies</u>
187-203	17	<u>FLRES</u> <u>Reporting Flags for Place of Residence</u>

These positions contain flags to indicate whether or not the specified item is included on the birth certificate of the State of residence or of the SMSA of

residence. The code structure of each flag (position) is:

0	...	The item is not reported
1	...	The item is reported or partially reported.

2000

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>
187	1	<u>ORIGM</u> <u>Origin of mother</u>
188	1	<u>ORIGF</u> <u>Origin of father</u>
189	1	<u>EDUCM</u> <u>Education of mother</u>
190	1	<u>R4</u> <u>Reserved Position</u>
191	1	<u>GESTE</u> <u>Clinical estimate of gestation</u>

192	1	<u>R5</u> <u>Reserved position</u>
193	1	<u>FMAPSRF</u> <u>5-minute Apgar score</u>
194	1	<u>DELMETRF</u> <u>Method of delivery</u>
195	1	<u>MEDRSK</u> <u>Medical risk factors</u>
196	1	<u>TOBUSE</u> <u>Tobacco use</u>
197	1	<u>ALCUSE</u> <u>Alcohol use</u>
198	1	<u>WTGN</u> <u>Weight gain</u>
199	1	<u>OBSTRC</u> <u>Obstetric procedures</u>
200	1	<u>CLABOR</u> <u>Complications of labor and/or delivery</u>
201	1	<u>ABNML</u> <u>Abnormal conditions of newborn</u>
202	1	<u>CONGAN</u> <u>Congenital anomalies</u>
203	1	<u>API flag</u> <u>Race codes 18-68 reported (beginning with 1992 data)</u>

2000

Denominator Record and Natality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>
204	1	<u>CDOBMIMP</u> <u>Month of Birth of Child Imputation Flag</u>
		Blank ... Month is not imputed
		1 ... Month is imputed
205-206	2	<u>BIRMON</u> <u>Month of Birth</u>
		01 ... January
		02 ... February
		03 ... March
		04 ... April
		05 ... May
		06 ... June

07	...	July
08	...	August
09	...	September
10	...	October
11	...	November
12	...	December

207-208 2

R6
Reserved Position

209 1

WEEKDAYB
Day of Week Child Born

1	...	Sunday
2	...	Monday
3	...	Tuesday
4	...	Wednesday
5	...	Thursday
6	...	Friday
7	...	Saturday

210 1

R7
Reserved Position

2000
Denominator Record and Mortality Section of Numerator (Linked) Record

Locations 211-535 contain data from the Death Certificate. Data in locations 211-222 are included on both the numerator and denominator-plus files. Data in locations 223-535 are include in the numerator file only. Residence items in the Denominator Record and in the natality section of the Numerator (Linked) Record refer to the usual place of residence of the Mother; whereas in the mortality section of the Numerator (Linked) Record, these items refer to the place of residence of the Decedent.

Item <u>LocationLength</u>	Item	Variable Name, <u>Item and Code Outline</u>
-------------------------------	------	--

211-213 3

AGED
Age at Death in Days

The generated age at death in days is calculated from the date of death on the death certificate minus the date of birth on the birth certificate unless the reported age of death is less than 2 days, then the reported age is used. If the exact date of birth and/or death is unknown, the age is imputed.

000-364 ... Number of days

214 1

AGERS
Infant Age Recode 5

1	...	Under 1 hour
2	...	1-23 hours
3	...	1-6 days
4	...	7-27 days (late neonatal)
5	...	28 days and over (postneonatal)

215 1

ACCIDPL
Place of Accident for Causes E850-E869 and E880-E928

Blank	...	Causes other than E850-E869 and E880-E928
0	...	Home
1	...	Farm
2	...	Mine and quarry
3	...	Industrial place and premises
4	...	Place for recreation and sport
5	...	Street and highway
6	...	Public building
7	...	Resident institution
8	...	Other specified places
9	...	Place of accident not specified

216-219 4

UCOD
ICD Code (10th Revision)

See the International Classification of Diseases, 1992 Revision, Volume 1.

2000

Denominator Record and Mortality Section of Numerator (Linked) Record

Item Item
LocationLength

Variable Name,
Item and Code Outline

220-222 3

UCODR130
130 Infant Cause Recode

A recode of the ICD cause code into 130 groups for NCHS publications. Further back in this document is a complete list of recodes and the causes included.

001-158 ... Code range (not inclusive)

223-230 8

RECWT
Record weight

Beginning in 1995, a record weight was added to the linked file to adjust for the approximately 2-3% of infant death records each year which cannot be linked to their corresponding birth certificates. Weights are generally slightly greater than 1.0 for infant death records, and are set at 1.0 for surviving live birth records. Weights are appropriate for us in some circumstances, but not others — please see Introduction for further details. The weights were used to produce all NCHS linked file tables, including Documentation tables 1-5 included in this tape documentation. The general format for the record weight

is the number one followed by a decimal point and six decimal places as follows:

1.XXXXXX

Here ends the Denominator file. Documentation for the Mortality Section of the Numerator (Linked) file begins with multiple conditions in positions 261-504.

2000
Mortality Section of Numerator (Linked) Record

Item Item
LocationLength

Variable Name,
Item and Code Outline

261-504 244

MULTCOND
Multiple Conditions

See the International Classification of Diseases, 1992 Revision, Volume 1. Both the entity-axis and record-axis conditions are coded according to this revision (10th).

261-262 2

EANUM
Number of Entity-Axis Conditions

00-20 ... Code range

263-402 140

ENTITY
ENTITY - AXIS CONDITIONS

Space has been provided for a maximum of 20 conditions. Each condition takes 7 positions in the record. **The 7th position will be blank.** Records that do not have 20 conditions are blank in the unused area.

Position 1: Part/line number on certificate

1 ... Part I, line 1 (a)

2 ... Part I, line 2 (b)
 3 ... Part I, line 3 (c)
 4 ... Part I, line 4 (d)
 5 ... Part I, line 5 (e)
 6 ... Part II,

Position 2: Sequence of condition within part/line

1-7 ... Code range

Position 3 - 6: Condition code (ICD 10th Revision)

263-269	7	1st Condition
270-276	7	2nd Condition
277-283	7	3rd Condition
284-290	7	4th Condition
291-297	7	5th Condition

2000

Mortality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>
298-304	7	6th Condition
305-311	7	7th Condition
312-318	7	8th Condition
319-325	7	9th Condition
326-332	7	10th Condition
333-339	7	11th Condition
340-346	7	12th Condition
347-353	7	13th Condition
354-360	7	14th Condition
361-367	7	15th Condition
368-374	7	16th Condition
375-381	7	17th Condition
382-388	7	18th Condition

389-395 7 **19th Condition**

396-402 7 **20th Condition**

403-404 2 **RANUM**
Number of Record-Axis Conditions

00-20 ... Code range

405-504 100 **RECORD**
RECORD - AXIS CONDITIONS

Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. **The 5th position will be blank.** Records that do not have 20 conditions are blank in the unused area.

Positions 1-4: Condition code (ICD10th Revision)

1 ... Indicates that the code in positions 1-4 is a Nature of Injury code
0 ... All other codes

2000

Mortality Section of Numerator (Linked) Record

<u>Item</u>	<u>Item</u>	<u>Variable Name,</u> <u>Item and Code Outline</u>
405-409	5	1st Condition
410-414	5	2nd Condition
415-419	5	3rd Condition
420-424	5	4th Condition
425-429	5	5th Condition
430-434	5	6th Condition
435-439	5	7th Condition
440-444	5	8th Condition
445-449	5	9th Condition
450-454	5	10th Condition
455-459	5	11th Condition
460-464	5	12th Condition
465-469	5	13th Condition

470-474	5	14th Condition
475-479	5	15th Condition
480-484	5	16th Condition
485-489	5	17th Condition
490-494	5	18th Condition
495-499	5	19th Condition
500-504	5	20th Condition

505 1

RESSTATD

Resident Status - Death

United States Occurrence

- | | | |
|---|-----|---|
| 1 | ... | RESIDENTS: State and county of occurrence and residence are the same. |
| 2 | ... | INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different. |
| 3 | ... | INTERSTATE NONRESIDENTS: State of occurrence and residence are different, but both are in the 50 States and D.C. |
| 4 | ... | FOREIGN RESIDENTS: State of occurrence is one of the 50 States or the District of Columbia, but place of residence is outside of the 50 States and D.C. |

2000

Mortality Section of Numerator (Linked) Record

Item Item
LocationLength

Variable Name,
Item and Code Outline

505 1

RESSTATD

Resident Status - Death (Cond't)

Puerto Rico Occurrence

- | | | |
|---|-----|---|
| 1 | ... | RESIDENTS: State and county of occurrence and residence are the same. |
| 2 | ... | INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different. |
| 4 | ... | FOREIGN RESIDENTS: Occurred in Puerto Rico to a resident of any other place. |

Virgin Islands Occurrence

- | | | |
|---|-----|---|
| 1 | ... | RESIDENTS: State and county of occurrence and residence are the same. |
| 2 | ... | INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different. |
| 4 | ... | FOREIGN RESIDENTS: Occurred in the Virgin Islands to a resident of any other place. |

Guam Occurrence

- 1 ... RESIDENTS: Occurred in Guam to a resident of Guam or to a resident of the U.S.
- 4 ... FOREIGN RESIDENTS: Occurred in Guam to a resident of any place other than Guam or the U.S.

506-507 2

DRSTATE

Expanded State of Residence - NCHS Codes - Deaths

This item is designed to separately identify New York City records from other New York State records.

United States Occurrence

- 01 ... Alabama
- 02 ... Alaska
- 03 ... Arizona
- 04 ... Arkansas
- 05 ... California
- 06 ... Colorado
- 07 ... Connecticut
- 08 ... Delaware
- 09 ... District of Columbia
- 10 ... Florida
- 11 ... Georgia
- 12 ... Hawaii
- 13 ... Idaho
- 14 ... Illinois
- 15 ... Indiana
- 16 ... Iowa
- 17 ... Kansas
- 18 ... Kentucky
- 19 ... Louisiana
- 20 ... Maine

2000

Mortality Section of Numerator (Linked) Record

Item Item
LocationLength

Variable Name,
Item and Code Outline

506-507 2

DRSTATE

Expanded State of Residence - NCHS Codes - Deaths (Cond't)

United States Occurrence

- 21 ... Maryland
- 22 ... Massachusetts
- 23 ... Michigan
- 24 ... Minnesota
- 25 ... Mississippi
- 26 ... Missouri
- 27 ... Montana
- 28 ... Nebraska
- 29 ... Nevada
- 30 ... New Hampshire
- 31 ... New Jersey
- 32 ... New Mexico
- 33 ... New York
- 34 ... New York City
- 35 ... North Carolina
- 36 ... North Dakota
- 37 ... Ohio
- 38 ... Oklahoma

39	...	Oregon
40	...	Pennsylvania
41	...	Rhode Island
42	...	South Carolina
43	...	South Dakota
44	...	Tennessee
45	...	Texas
46	..	Utah
47	...	Vermont
48	...	Virginia
49	...	Washington
50	...	West Virginia
51	...	Wisconsin
52	...	Wyoming
53-58,60	...	Foreign Residents
53	...	Puerto Rico
54	...	Virgin Islands
55	...	Guam
56	...	Canada
57	...	Cuba
58	...	Mexico
60	...	Remainder of the World

Puerto Rico Occurrence

53	...	Puerto Rico
01-52,54-58,60	...	Foreign Residents: Refer to U.S. for specific code structure.

2000

Mortality Section of Numerator (Linked) Record

Item Item
LocationLength

Variable Name,
Item and Code Outline

506-507 2

DRSTATE
Expanded State of Residence - NCHS Codes - Deaths (Cond't)

Virgin Islands Occurrence

54	...	Virgin Islands
01-53,55-58,60	...	Foreign Residents: Refer to U.S. for specific code structure.

Guam Occurrence

55	...	Guam
01-52	...	U.S. resident is also considered a resident of Guam.
53,54,58,60	...	Foreign Residents: Refer to U.S. for specific code structure.

508-512 5

FIPSOCCD
Federal Information Processing Standards
(FIPS) Geographic Codes (Occurrence) - Death

Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications.

508-509 2

STOCCFIPD

State of Occurrence (FIPS) - Death

United States

01	...	Alabama
02	...	Alaska
04	...	Arizona
05	...	Arkansas
06	...	California
08	...	Colorado
09	...	Connecticut
10	...	Delaware
11	...	District of Columbia
12	...	Florida
13	...	Georgia
15	...	Hawaii
16	...	Idaho
17	...	Illinois
18	...	Indiana
19	...	Iowa
20	...	Kansas
21	...	Kentucky
22	...	Louisiana
23	...	Maine
24	...	Maryland
25	...	Massachusetts
26	...	Michigan
27	...	Minnesota
28	...	Mississippi
29	...	Missouri
30	...	Montana

2000

Mortality Section of Numerator (Linked) Record

Item Item
LocationLength

Variable Name,
Item and Code Outline

508-509 2

STOCCFIPD

State of Occurrence (FIPS) - Death (Cond't)

United States

31	...	Nebraska
32	...	Nevada
33	...	New Hampshire
34	...	New Jersey
35	...	New Mexico
36	...	New York
37	...	North Carolina
38	...	North Dakota
39	...	Ohio
40	...	Oklahoma
41	...	Oregon
42	...	Pennsylvania
44	...	Rhode Island
45	...	South Carolina
46	...	South Dakota
47	...	Tennessee
48	...	Texas
49	...	Utah

50	...	Vermont
51	...	Virginia
53	...	Washington
54	...	West Virginia
55	...	Wisconsin
56	...	Wyoming

Puerto Rico

72	...	Puerto Rico
----	-----	-------------

Virgin Islands

78	...	Virgin Islands
----	-----	----------------

Guam

66	...	Guam
----	-----	------

510-512 3

CNTOCFIPD

County of Occurrence (FIPS) - Death

001-nnn	...	Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.)
999	...	County with less than 250,000 population

2000

Mortality Section of Numerator (Linked) Record

Item Item
LocationLength

Variable Name,
Item and Code Outline

513-517 5

FIPSRESID

Federal Information Processing Standards (FIPS) Geographic Codes (Residence) - Death

Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications.

513-514 2

STRESFIPD

State of Residence (FIPS) - Death

United States Occurrence

00	...	Foreign residents
01	...	Alabama
02	...	Alaska
04	...	Arizona
05	...	Arkansas
06	...	California
08	...	Colorado
09	...	Connecticut

10	...	Delaware
11	...	District of Columbia
12	...	Florida
13	...	Georgia
15	...	Hawaii
16	...	Idaho
17	...	Illinois
18	...	Indiana
19	...	Iowa
20	...	Kansas
21	...	Kentucky
22	...	Louisiana
23	...	Maine
24	...	Maryland
25	...	Massachusetts
26	...	Michigan
27	...	Minnesota
28	...	Mississippi
29	...	Missouri
30	...	Montana
31	...	Nebraska
32	...	Nevada
33	...	New Hampshire
34	...	New Jersey
35	...	New Mexico
36	...	New York
37	...	North Carolina
38	...	North Dakota
39	...	Ohio
40	...	Oklahoma

2000
Mortality Section of Numerator (Linked) Record

Item	Item	Variable Name, Item and Code Outline
<u>LocationLength</u>		
513-514	2	<u>STRESFIPD</u> <u>State of Residence (FIPS) - Death (Cond't)</u>
		<u>United States Occurrence</u>
		41 ... Oregon
		42 ... Pennsylvania
		44 ... Rhode Island
		45 ... South Carolina
		46 ... South Dakota
		47 ... Tennessee
		48 ... Texas
		49 ... Utah
		50 ... Vermont
		51 ... Virginia
		53 ... Washington
		54 ... West Virginia
		55 ... Wisconsin
		56 ... Wyoming
		<u>Puerto Rico Occurrence</u>

72 ... Puerto Rico
 00-56, 66,78 ... Foreign resident: Refer to U.S. for specific code structure.

Virgin Islands Occurrence

78 ... Virgin Islands
 00-56, 66,72 ... Foreign resident: Refer to U.S. for specific code structure.

Guam Occurrence

66 ... Guam
 01-56,
 00,72,78 ... Foreign resident: Refer to U.S. for specific code structure.

515-517 3

CNTYRFPD

County of Residence (FIPS) - Death

000 ... Foreign residents
 001-999 ... Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State (Note: To uniquely identify a county, both the State and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document.
 999 ... County with less than 250,000 population

2000

Mortality Section of Numerator (Linked) Record

Item Item
LocationLength

Variable Name,
Item and Code Outline

518-522 5

PLRES

Place (City) of Residence (FIPS)

A complete list of cities is shown in the Geographic code outline further back in this document.

00000 ... Foreign residents
 00001-99999 ... Code range
 99999 ... Balance of county; or city less than 250,000 population

523 1

HOSPD

Hospital and Patient Status

1 ... Hospital, Clinic or Medical Center - Inpatient
 2 ... Hospital, Clinic or Medical Center - Outpatient or admitted to Emergency Room
 3 ... Hospital, Clinic or Medical Center - Dead on arrival
 4 ... Hospital, Clinic or Medical Center - Patient status unknown

5	...	Nursing home
6	...	Residence
7	...	Other
9	...	Place of death unknown

524-527 4

DTHYR
Year of Death

2000	...	Death occurred in 2000
2001	...	Death occurred in 2001

528-529 2

DTHMON
Month of Death

01	...	January
02	...	February
03	...	March
04	...	April
05	...	May
06	...	June
07	...	July
08	...	August
09	...	September
10	...	October
11	...	November
12	...	December

530-531 2

R8
Reserved Position

2000
Mortality Section of Numerator (Linked) Record

Item Item
LocationLength

Variable Name,
Item and Code Outline

532 1

WEEKDAYD
Day of Week of Death

1	...	Sunday
2	...	Monday
3	...	Tuesday
4	...	Wednesday
5	...	Thursday
6	...	Friday
7	...	Saturday
9	...	Unknown

533-535 3

R9
Reserved positions

